## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance: prior art of record taken alone and/or in combination with other does not disclose and/or fairly suggest a data-requesting device transmits to a data-preparing device a list of usable display formats for the data-requesting device, the list comprising a plurality of display formats, in combination with other recited limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NIKETA I. PATEL whose telephone number is (571)272-4156. The examiner can normally be reached on M-F 8:00 A.M. to 6:00 P.M, with every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alford Kindred can be reached on (571) 272 4037. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/048,114 Page 3

Art Unit: 2181

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Niketa I. Patel/ Primary Examiner, Art Unit 2181